


COPY
#21



Attorney Docket No. 39238-0760

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Certificate
JUL 30 2004
of Correction

Patent Number : 6,749,624 BV
Issued : June 15, 2004
Name of Patentee : Knowlton
Title of Invention : Fluid Delivery Apparatus

Mail Stop _____
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450
ATTENTION: Decision and Certificate of Correction
Branch of the Patent Issue Division

REQUEST FOR CERTIFICATE OF CORRECTION OF A PATENT
FOR APPLICANT MISTAKE (37 C.F.R. §1.323)

1. It is noted that an error appears in this patent of a

- ☒ clerical
☐ typographical
☐ minor

nature or character, as more fully described below. It occurred in good faith. Correction thereof does not involve changes in the patent as would constitute new matter or would require re-examination. A certificate of correction is requested.

The assignee is not printed on the patent due to clerical error. The assignee is Thermage, Inc., Hayward, California, a corporation

2. Attached, in duplicate, is Form PTO-1050, with at least one copy being suitable for printing.

NOTE: Form PTO-1050 (or PTO/SB/44), using the column and line number in the printed patent, should be used exclusively regardless of the length or complexity of the subject matter. M.P.E.P. §1485, 7th ed.

NOTE: The patent grant should be retained by the patentee. The PTO does not attach the certificate of correction to the patent copy of the patent. The patent grant will be returned to patent if submitted. M.P.E.P. §1485, 7th ed.

3. The exact page and line number where the errors are shown correctly in the application file are:

Assignment of application recorded on 12/20/2001 at Reel 012416, Frame 0951

NOTE: This information should be identified in this request, however, on Form PTO-1050, only the column and line number in the printed patent should be used. M.P.E.P. §1485, 7th ed.

AUG 02 2004

4. Please send the Certificate to:
Paul Davis
HELLER EHRMAN WHITE & MCAULIFFE LLP
275 Middlefield Road
Menlo Park, California 94025
5. Please pay the fee required by 37 C.F.R. §1.20(a) - \$100.00, as follows:
☐ Attached is a ☐ check ☐ money order in the amount of \$
☒ Authorization is hereby made to charge the amount of \$100.00 to
☒ Deposit Account No. 08-1641.
☐ Credit card as shown on the attached credit card information authorization form PTO-2038

WARNING: Credit card information should *not* be included on this form as it may become public.

☒ Charge any additional fees required by this paper or credit any overpayment in the manner authorized above.

A duplicate of this paper is attached.

Date:

7/9/04

Respectfully submitted,



Paul Davis, Reg. No. 29,294

HELLER EHRMAN WHITE & MCAULIFFE LLP
275 Middlefield Road
Menlo Park, California 94025
(650) 324-7000
Customer No. 25213

NOTE: The certificate of correction for applicant's mistake may be signed by the attorney of record, unlike that for PTO mistake where the patentee or an owner of an interest in the invention must make the request.

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.
(Also Form PTO-1050)

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,749,624 *B2*
DATED : June 15, 2004
INVENTOR(S) : Knowlton

It is certified that error appears on the above-identified patent and that said Letters Patent are hereby corrected as shown below:

(73) Assignee: Thermage, Inc. Hayward, CA (US)

MAILING ADDRESS OF SENDER:

HELLER EHRMAN WHITE & MCAULIFFE LLP
275 Middlefield Road
Menlo Park, CA 94025
Telephone: (650) 324-7000

PATENT NO. 6,749,624 *B2*
No. of additional copies: 1

| *

Burden Hour Statement: This form is estimated to take 1.0 hour to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, D.C. 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Mail Stop ___, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

(Certificate of Correction (PTO/SB/44) [14-3]-page 1 of 1

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.
(Also Form PTO-1050)

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,749,624 *b2*
DATED : June 15, 2004
INVENTOR(S) : Knowlton

It is certified that error appears on the above-identified patent and that said Letters Patent are hereby corrected as shown below:

(73) Assignee: Thermage, Inc. Hayward, CA (US)

MAILING ADDRESS OF SENDER:

PATENT NO. 6,749,624 *b2*
No. of additional copies: 1

HELLER EHRMAN WHITE & MCAULIFFE LLP
275 Middlefield Road
Menlo Park, CA 94025
Telephone: (650) 324-7000

| *

Burden Hour Statement: This form is estimated to take 1.0 hour to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, D.C. 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Mail Stop ____, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

(Certificate of Correction (PTO/SB/44) [14-3]-page 1 of 1